BioSpectrum

Briview

Disposable Cholangioscope for ERCP use

Creating a difference in healthcare

For More Information
www.bio-spectrum.com

01636 705 084

Imaging Processor PL-1000

PL-1000 Specifications	
Power	Voltage: 100-240 VAC Frequency: 50/60 Hz Rated Input: 45 VA
Illumination	Lamp: 2W LED Lamp life: 30,000 Hrs Colour Temperature: 3,000k-7000K
Function	White balance, luminance control (+-), Sharpness (0,1,2), Zoom (0,1,2), Freeze, Snap, Record, USB Storage
Output	DVI*1, S-Video*1, CVBS*1
Storage	USB 2.0 (FAT32: Max: 128G)
Dimensions	350mm(W) * 130mm(H) * 425mm(D)
Weight	8Kg
Screen	/

Imaging Processor PL-2100 (mini)

PL-1000 Specifications	
Power	Voltage: 100-240 VAC Frequency: 50/60 Hz Rated Input: 48 VA
Illumination	Lamp: 2W LED Lamp life: 30,000 Hrs /
Function	White balance, luminance control (+-), Sharpness (0-10), Zoom (0,1,2,3,4,5), Freeze, Snap, Record, USB Storage
Output	HDMI*2
Storage	USB 2.0 (FAT32: Max: 128G)
Dimensions	270mm(W) * 260mm(H) * 72mm(D)
Weight	3Kg
Screen	10.1 inch

Cholangioscope for ERCP use

Mode	Diagnosis CHV-US100J-U	Treatment CHV-US110J-U
Field of View	110°	110°
Depth of View	5-50mm	5-50mm
Deflection	Up / Down 120° / 120°	Up / Down 120° / 120° Left / Right 120° / 120°
Insertion dia.	3.3mm	3.4mm
Distal end dia.	3.3mm	3.4mm
Working length	2000mm	2000mm
Working channel	1.2mm / 0.6mm	1.2mm / 0.6mm

Cholangioscope for ERCP use

BioSpectrum

Creating a difference in healthcare

Contact & Visit Us

www.bio-spectrum.com

01636 705 084

customers@bio-spectrum.co.uk

Unit 9 Halifax Court
Fernwood Business Park
Newark
Nottingham
NG24 3JP